Flush mounted PIR motion and presence sensor 360°, IP20 , 1200W, 3 sensors, white

Marka: **Orno** | Symbol: **OR-CR-222** | Ean: **5901752483033**

5 YEARS WARRANTY



PRODUCT DESCRIPTION

Passive infrared sensor (triple sensor motion detectors system positioned at a specific angle) For indoor usage Collaborates with LED lighting Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX) Suitable for large rooms e.g. warehouses, waiting rooms Installation in suspended ceilings.

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Model:	Czujnik obecności
Sensor type:	Podczerwień pasywna
Scan angle [°]:	360
Optimum mounting height [m]:	2,2-4
Max. reach sideways [m]:	6
Max. reach frontally [m]:	6
Diameter reach on floor [m]:	12
Detection moving speed [m/s]:	0,6-1,5
Response value luminosity adjustable:	Tak
Light intensity adjustment range [lx]:	<3-2000
Mounting method:	Montaż podtynkowy
Suitable for ceiling mounting:	Tak
Suitable for wall mounting:	Nie
Connection type:	Zacisk śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Colour:	Biały
Degree of protection:	IP20
Voltage type:	AC
Frequency [Hz]:	50
Nominal voltage [V]:	230
Min. switch-on time [s]:	10
Max. duty cycle [min]:	15
Detection angle horizontal [°]:	360
Max. switching power [W]:	1200
Max. switching power LED [W]:	300

ORNO GROUP Sp. z o. o. All rights reserved.

Power consumption [W]:	0.5
Relay output:	Tak
Temperature [°C]:	-20 - +40
Working humidity:	<93%
Depth [mm]:	87
Diameter [mm]:	76
Weight [g]:	100
Built-in depth [mm]:	61
Built-in diameter [mm]:	62
Min. depth of built-in installation box [mm]:	68





ORNO GROUP Sp. z o. o. All rights reserved.





ORNO GROUP Sp. z o. o. All rights reserved.