Ultra flat PIR motion sensor 360°

Marka: **Orno** | Symbol: **OR-CR-241** | Ean: **5901752485082**

5 YEARS WARRANTY



PRODUCT DESCRIPTION

Passive infrared sensor For indoor usage Collaborates with LED lighting Regulation: lighting time (TIME) and the sensitivity of the light intensity (LUX).

ORNO GROUP Sp. z o. o. All rights reserved.

TECHNICAL DATA

General information:

Model:	Czujnik ruchu
Sensor type:	Podczerwień pasywna
Scan angle [°]:	360
Optimum mounting height [m]:	2,2-4
Max. reach sideways [m]:	3
Max. reach frontally [m]:	3
Diameter reach on floor [m]:	6
Detection moving speed [m/s]:	0,6-1,5
Response value luminosity adjustable:	Tak
Light intensity adjustment range [lx]:	<3-2000
Mounting method:	Montaż natynkowy
Suitable for ceiling mounting:	Tak
Suitable for wall mounting:	Nie
Connection type:	Zacisk śrubowy
Material:	Tworzywo sztuczne
Material quality:	Tworzywo termoplastyczne
Colour:	Biały
Degree of protection:	IP20
Voltage type:	AC
Frequency [Hz]:	50
Nominal voltage [V]:	230
Min. switch-on time [s]:	10
Max. duty cycle [min]:	15
Detection angle horizontal [°]:	360
Max. switching power [W]:	2000
Max. switching power LED [W]:	500

ORNO GROUP Sp. z o. o. All rights reserved.


Power consumption [W]:	0,5
Relay output:	Tak
Temperature [°C]:	-20 - +40
Working humidity:	<93%
Depth [mm]:	22
Diameter [mm]:	115
Weight [g]:	105





ORNO GROUP Sp. z o. o. All rights reserved.







ORNO GROUP Sp. z o. o. All rights reserved.